

LWL
TM-74-09
c.2

TECHNICAL MEMORANDUM NO. 74-09

CRAMPON FOR USE IN WORLDWIDE MOUNTAIN OPERATIONS

TASK 01-S-74

by

Norman P. Leibel
Environment and Survival Branch

April 1974

Final Memorandum

COUNTED IN

TECHNICAL LIBRARY
BLDG. 305
ABERDEEN PROVING GROUND, MD.
STEAP-TL

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

U. S. ARMY LAND WARFARE LABORATORY

Aberdeen Proving Ground, Maryland 21005

20081020 197

LWL
TM-74-09
c.2

DISCLAIMERS

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER TECHNICAL MEMORANDUM NO. 74-09	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) CRAMPON FOR USE IN WORLDWIDE MOUNTAIN OPERATIONS		5. TYPE OF REPORT & PERIOD COVERED Technical Memorandum
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Norman P. Leibel Environment and Survival Branch		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Land Warfare Laboratory Aberdeen Proving Ground, MD 21005		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Task 01-S-74
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE April 1974
		13. NUMBER OF PAGES 10
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) <div style="text-align: right; color: red;"> TECHNICAL LIBRARY BLDG. 305 ABERDEEN PROVING GROUND, MD. STEAP-TL </div>		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The crampon, developed by the US Army Land Warfare Laboratory, was designed to fit a range of ski and vapor barrier boots used by the US Army. This was accomplished by designing an adjustment plate which allows variation for size 5 to size 15 extra wide. The crampon is lightweight, durable and provides the user with the required foot stability to safely cross ice fields. This task was not completed due to the disestablishment of the Laboratory. Prototype hardware and a data package have been transferred to the US Army Natick Laboratories, Natick, Massachusetts.		

AD-780022

TABLE OF CONTENTS

	<u>Page</u>
REPORT DOCUMENTATION PAGE (DD FORM 1473)	iii
DISCUSSION	3
Introduction	3
Description	3
CONCLUSION	3
DISTRIBUTION LIST	7

DISCUSSION

Introduction

The US Army Land Warfare Laboratory (USALWL) initiated a task to design and develop a new crampon based on a Proposed Required Operational Capability (PROC) for a crampon for Army use in mountain operations. Presently, troops in Alaska are using a commercial crampon which meets most of the requirements of the PROC. This particular crampon is of foreign manufacture and must be purchased in various sizes to accommodate the size range of boots used by troops in the US Army. The US Army Land Warfare Laboratory has designed a crampon which can be adjusted to fit all boot sizes.

Description

The USALWL crampon is very similar in design to the French crampon, Figure 1, presently used by troops in Alaska. The USALWL crampon has ten points, which provide maximum non-slip in all directions and can be adjusted to fit both the ski boot and vapor barrier boots in sizes 5 to 15 extra wide. The heel section is basically the same as the French crampon although the strap supports, Figure 2, have been widened to accept the large heel normally found in the large size vapor barrier boots.

Significant differences in the USALWL crampon, Figure 2, are in the sole section of the crampon which allows maximum adjustment at the toe and arch areas. The toe area has been designed with a reversible section referred to as a flip/flop, which can be changed by simply removing two screws and turning the section around 180°. The arch area is also adjusted by removing two screws and aligning holes in the crampon with holes in the adjusting plate. The cable, which connects the heel pad to the sole pad, is adjustable to accommodate various boot lengths.

Six pairs of prototype crampons, Figure 3, have been fabricated for laboratory evaluation and will be turned over to the US Army Natick Laboratories for evaluation.

CONCLUSION

The feasibility of designing and fabricating an adjustable crampon has been demonstrated. It is recommended that this development be continued by the Parent Agency.




Figure 1. Commercial Design Crampon




Figure 2. Components for Adjusting Crampon




Figure 3. USAIWL Prototype Crampons

DISTRIBUTION LIST

	<u>Copies</u>
Commander US Army Materiel Command ATTN: AMCDL 5001 Eisenhower Avenue Alexandria, VA 22304	1
Commander US Army Materiel Command ATTN: AMCRD 5001 Eisenhower Avenue Alexandria, VA 22304	3
Commander US Army Materiel Command ATTN: AMCRD-P 5001 Eisenhower Avenue Alexandria, VA 22304	1
Director of Defense, Research & Engineering Department of Defense WASH DC 20301	1
Director Defense Advanced Research Projects Agency WASH DC 20301	3
HQDA (DARD-DDC) WASH DC 20310	4
HQDA (DARD-ARZ-C) WASH DC 20310	1
HQDA (DAFD-ZB) WASH DC 20310	1
HQDA (DAMO-PLW) WASH DC 20310	1
HQDA (DAMO-IAM) WASH DC 20310	1
Commander US Army Training & Doctrine Command ATTN: ATCD Fort Monroe, VA 23651	1

Commander US Army Combined Arms Combat Developments Activity (PROV) Fort Leavenworth, KS 66027	1
Commander US Army Logistics Center Fort Lee, VA 23801	1
Commander US Army CDC Intelligence & Control Systems Group Fort Belvoir, VA 22060	1
TRADOC Liaison Office HQS USATECOM Aberdeen Proving Ground, MD 21005	1
Commander US Army Test and Evaluation Command Aberdeen Proving Ground, MD 21005	1
Commander US Army John F. Kennedy Center for Military Assistance Fort Bragg, NC 28307	1
Commander-In-Chief US Army Pacific ATTN: GPOP-FD APO San Francisco 96558	1
Commander Eighth US Army ATTN: EAGO-P APO San Francisco 96301	1
Commander Eighth US Army ATTN: EAGO-FD APO San Francisco 96301	1
Commander-In-Chief US Army Europe ATTN: AEAGC-ND APO New York 09403	4
Commander US Army Alaska ATTN: ARACD APO Seattle 98749	1

Commander MASSTER ATTN: Combat Service Support & Special Programs Directorate Fort Hood, TX 76544	1
Commander US MAC-T & JUSMAG-T ATTN: MACTRD APO San Francisco 96346	2
Senior Standardization Representative US Army Standardization Group, Australia c/o American Embassy APO San Francisco 96404	1
Senior Standardization Representative US Army Standardization Group, UK Box 65 FPO New York 09510	1
Senior Standardization Representative US Army Standardization Group, Canada Canadian Forces Headquarters Ottawa, Canada K1A0K2	1
Director Air University Library ATTN: AUL3T-64-572 Maxwell Air Force Base, AL 36112	1
Battelle Memorial Institute Tactical Technical Center Columbus Laboratories 505 King Avenue Columbus, OH 43201	1
Defense Documentation Center (ASTIA) Cameron Station Alexandria, VA 22314	12
Commander Aberdeen Proving Ground ATTN: STEAP-TL Aberdeen Proving Ground, MD 21005	2
Commander US Army Edgewood Arsenal ATTN: SMUEA-TS-L Aberdeen Proving Ground, MD 21010	1

US Marine Corps Liaison Officer
Aberdeen Proving Ground, MD 21005

1

Director
Night Vision Laboratory
US Army Electronics Command
ATTN: AMSEL-IV-D (Mr. Goldberg)
Fort Belvoir, VA 22060

1

Commander
US Air Force Special Communications Center (USAFSS)
ATTN: SUR
San Antonio, TX 78243

1

Commander
US Army Armament Command
ATTN: AMSAR-ASF
Rock Island, IL 61201

1

Commander
US Army Natick Laboratories
ATTN: STSNL-CCE
Natick, MA 01760

1